

## **TRT Rail-less Base system TRT 01**

TRT Rail-less Base system is a new solar racking system designed for asphalt shingle roofs, the system realizes the integration of base and Mini-Rail. The base is directly glued to the roof with butyl adhesive, which is firm and waterproof. It is worth noting that the mini rail is height-adjustable and can be quickly installed for small undulations on asphalt roofs. The solar panels are fixed with universal clamps, and the simple clamp saves a lot of installation time.

- **UL 2703 LISTED**

The entire system complies with UL2703 standards

- **Fits 30~40mm module frame**

The entire system complies with 30~40mm solar panel frame

- **PE certified**

Certified to maintain the fire resistance rating of the existing roof



## **FEATURES**

- **Class A fire rating**

Certified to maintain the fire resistance rating of the existing roof

- **25 years warranty**

Ensure that there are no after-sales worries during the product's service life



## PARTS OF SOLAR MOUNTING SYSTEM

**Rail-less Base 3010354**



Aluminum 6005-T5 made with Black Anodized. Installation height adjusted, Double butyl glue.

**Mid Clamp 3010355**



Black surface treatment, fits modules from 30~40mm thick, with Grounding device

**Hidden End Clamp 3010138**



Securely bonds modules to rail ends, entirely hidden, No restrictions on module size and thickness

**Grounding Lug 3010402**



Not limited by the type of rail, directly mounted on the module frame

**Bonding Jumper 3010406**



To connect N-S modules or E-W modules

**Base End Cap 1040091**



Provide a complete finish to the installation work, Avoid safety hazards at the end of the base



## PARTS OF SOLAR MOUNTING SYSTEM

Skirt A197



Customized length requirements, easy to assembly, easy for clip on any thick of solar module, beautiful visual

Skirt Connector 3010405



Splice to connect Skirt, High Quantity Aluminum made

Skirt Cap 1040108




Provide a complete finish to the installation work, Avoid safety hazards at the end of the skirt.

Skirt clip 3010363



Fit modules from 30~40mm thick

Micro Inverter Racking 3010367



Rail-less based system  
Micro inverter holder

Version 1.1 10/16/2024.

©Top Rack Technology, Inc. Copyright 2024 All rights reserved. The content is protected by copyright law. Top Rack Technology, Inc. reserves the right to modify, update, or amend the content without prior notice.

